



VAREELEVATOREN.DK



Dinamic Lift



"The platform car lift"

Dinamic Lift

Dinamic Lift is a simple platform car lift which replaces the classic concrete ramp and enables drivers to reach one or more underground or above-ground levels.

It is suitable for installation in either indoor or outdoor spaces (building courtyards, forecourts).

▶ SPB system with person on board



Manufactured by:
UP DINAMIC
S.r.l.



Available versions:

► **Dinamic Lift DLF** - lifting height up to 3,7 metres

The Scissor Lift system has a self-supporting structure that does not require structural walls for anchoring. It can be installed in closed spaces inside buildings or in courtyards.

► **Dinamic Lift DL2** - lifting height up to 12 metres

The two-column lifting system requires a single bearing wall for the guides anchorage.

► **Dinamic Lift DL4** - lifting height up to 12 metres

The four-column lift system is versatile, customizable and adaptable to the many different site conditions. It is ideal for great heights and stops on several underground or above ground floors. It can be installed in closed spaces inside buildings or in courtyards.

► **Dinamic Lift CL** - lifting height up to 3 metres

Suitable to be used in closed spaces inside the buildings thanks to the cabin, the CL Dinamic Lift is particularly economic thanks to an innovative lift system designed by UpDinamic and extremely easy to use and reliable. Driven by four direct cylinders it allows exploiting to the maximum the energy the system utilizes and using motors suited to the standard domestic current.

	Capacity	Elevation max	Hydraulic control unit	Standard containment pit
DLF	3000 Kg	3,7 metres	5,5 Kw tri-phase	500 mm
DL2	3000 Kg	12 metres	5,5 Kw tri-phase	260 mm
DL4	3000/4500 Kg	12 metres	5,5 Kw tri-phase	1150 mm
CL	2500/3000 Kg	3 metres	3 Kw tri-phase	400 mm

► **SPB system with person on board**

The Dinamic Lift can be supplied with the homologated SPB system to drive the car lift with persons on board complete with all the safety devices: UPS in the event of a power failure, push-button for emergency descent to the lower floor, GSM system for emergency calls.

► **Pavable platform**

All Dinamic Lift range can be provided with containment edge for pavement that allows the finishing of platform surface according to the environment of the installation site, making the aesthetics of the full system more pleasant and suitable for every context of installation.

► **Hidden gate solution**

The Dinamic Lift car lift can be equipped with hydraulic vertical hidden gate.



Up Dinamic S.r.l.

Via Franco Modigliani 22
37045 - Legnago (VR) Italy

For information:

www.updinamic.com

Tel. +39.0442.590.129

Fax +39.0442.599.091

E-mail: info@updinamic.com

